

AMC 8 2005

www.artofproblemsolving.com/community/c4788

by Dojo, dragon96, rrusczyk


1 Connie multiplies a number by 2 and gets 60 as her answer. However, she should have divided the number by 2 to get the correct answer. What is the correct answer?

(A) 7.5 (B) 15 (C) 30 (D) 120 (E) 240

2 Karl bought five folders from Pay-A-Lot at a cost of \$2.50 each. Pay-A-Lot had a 20%-off sale the following day. How much could Karl have saved on the purchase by waiting a day?

(A) \$1.00 (B) \$2.00 (C) \$2.50 (D) \$2.75 (E) \$5.00

3 What is the minimum number of small squares that must be colored black so that a line of symmetry lies on the diagonal \overline{BD} of square ABCD?



(A) 1 (B) 2 (C) 3 (D) 4 (E) 5

4 A square and a triangle have equal perimeters. The lengths of the three sides of the triangle are 6.1 cm, 8.2 cm and 9.7 cm. What is the area of the square in square centimeters?

(A) 24 **(B)** 25 **(C)** 36 **(D)** 48 **(E)** 64


5 Soda is sold in packs of 6, 12 and 24 cans. What is the minimum number of packs needed to buy exactly 90 cans of soda?

(A) 4 **(B)** 5 **(C)** 6 **(D)** 8 **(E)** 15

6 Suppose *d* is a digit. For how many values of *d* is 2.00d5 > 2.005?

(A) 0	(B) 4	(C) 5 ((D) 6 (E) 10				
Bill walks $\frac{1}{2}$ mile south, then $\frac{3}{4}$ mile east, and finally $\frac{1}{2}$ mile south. How many miles is he, in a direct line, from his starting point?								
(A) 1	(B) $1\frac{1}{4}$	(C) $1\frac{1}{2}$	(D) $1\frac{3}{4}$	(E) 2				
Suppose	e m and n	are positive	e odd inte	gers. Which of the following must also be an odd integer?				
(A) $m +$	3n (B)) 3m – n	(C) 3m ²	$(+3n^2 (D) (nm+3)^2 (E) 3mn)$				
	Bill walk direct lin (A) 1 Suppose	Bill walks $\frac{1}{2}$ mile s direct line, from hi (A) 1 (B) $1\frac{1}{4}$ Suppose m and n	Bill walks $\frac{1}{2}$ mile south, then direct line, from his starting (A) 1 (B) $1\frac{1}{4}$ (C) $1\frac{1}{2}$ Suppose m and n are positive	direct line, from his starting point? (A) 1 (B) $1\frac{1}{4}$ (C) $1\frac{1}{2}$ (D) $1\frac{3}{4}$				

9 In quadrilateral ABCD, sides \overline{AB} and \overline{BC} both have length 10, sides \overline{CD} and \overline{DA} both have length 17, and the measure of angle ADC is 60° . What is the length of diagonal \overline{AC} ?



(A) 13.5 (B) 14 (C) 15.5 (D) 17 (E) 18.5


10 Joe had walked half way from home to school when he realized he was late. He ran the rest of the way to school. He ran 3 times as fast as he walked. Joe took 6 minutes to walk half way to school. How many minutes did it take Joe to get from home to school?

(A) 7 (B) 7.3 (C) 7.7 (D) 8 (E) 8.3


11 The sales tax rate in Bergville is 6%. During a sale at the Bergville Coat Closet, the price of a coat is discounted 20% from its \$90.00 price. Two clerks, Jack and Jill, calculate the bill independently. Jack rings up \$90.00 and adds 6% sales tax, then subtracts 20% from this total. Jill rings up \$90.00, subtracts 20% of the price, then adds 6% of the discounted price for sales tax. What is Jack's total minus Jill's total?

(A) - \$1.06 (B) - \$0.53 (C) 0 (D) \$0.53 (E) \$1.06

12 Big Al, the ape, ate 100 bananas from May 1 through May 5. Each day he ate six more bananas than on the previous day. How many bananas did Big Al eat on May 5?



2005 AMC 8




21 How many distinct triangles can be drawn using three of the dots below as vertices?

			•	•	•	
			•	•	•	
(A) 9	(B) 12	(C) 18	(D) 20	(E) 24		

The medium size costs 50% more than the small size and contains 20% less detergent than the large size. The large size contains twice as much detergent as the small size and costs 30% more than the medium size. Rank the three sizes from best to worst buy.

(A) SML (B) LMS (C) MSL (D) LSM (E) MLS

23 Isosceles right triangle *ABC* encloses a semicircle of area 2π . The circle has its center *O* on hypotenuse \overline{AB} and is tangent to sides \overline{AC} and \overline{BC} . What is the area of triangle *ABC*?




(A) 6 (B) 8 (C) 3π (D) 10 (E) 4π

A certain calculator has only two keys [+1] and [x2]. When you press one of the keys, the calculator automatically displays the result. For instance, if the calculator originally displayed "9" and you pressed [+1], it would display "10." If you then pressed [x2], it would display "20." Starting with the display "1," what is the fewest number of keystrokes you would need to reach "200"?

(A) 8 (B) 9 (C) 10 (D) 11 (E) 12

25 A square with side length 2 and a circle share the same center. The total area of the regions

that are inside the circle and outside the square is equal to the total area of the regions that are outside the circle and inside the square. What is the radius of the circle?



AoPS Online 🔯 AoPS Academy 🗿 AoPS & Cademy

Art of Problem Solving is an ACS WASC Accredited School.