

**AMC 10 2002**

www.artofproblemsolving.com/community/c4800

by worthawholebean, redcomet46, djmathman, rrusczyk

– A

- 1** The ratio  $\frac{10^{2000} + 10^{2002}}{10^{2001} + 10^{2001}}$  is closest to which of the following numbers?  
 (A) 0.1 (B) 0.2 (C) 1 (D) 5 (E) 10

- 2** For the nonzero numbers  $a, b, c$ , define

$$(a, b, c) = \frac{a}{b} + \frac{b}{c} + \frac{c}{a}.$$

Find  $(2, 12, 9)$ .

- (A) 4 (B) 5 (C) 6 (D) 7 (E) 8

- 3** According to the standard convention for exponentiation,

$$2^{2^{2^2}} = 2^{\left(2^{(2^2)}\right)} = 2^{16} = 65,536.$$


If the order in which the exponentiations are performed is changed, how many other values are possible?

- (A) 0 (B) 1 (C) 2 (D) 3 (E) 4

- 4** For how many positive integers  $m$  does there exist at least one positive integer  $n$  such that  $m \cdot n \leq m + n$ ?

- (A) 4 (B) 6 (C) 9 (D) 12 (E) infinitely many

- 5** Each of the small circles in the figure has radius one. The innermost circle is tangent to the six circles that surround it, and each of those circles is tangent to the large circle and to its small-circle neighbors. Find the area of the shaded region.




- (A)  $\pi$  (B)  $1.5\pi$  (C)  $2\pi$  (D)  $3\pi$  (E)  $3.5\pi$

- 6 Cindy was asked by her teacher to subtract 3 from a certain number and then divide the result by 9. Instead, she subtracted 9 and then divided the result by 3, giving an answer of 43. What would her answer have been had she worked the problem correctly?  
(A) 15 (B) 34 (C) 43 (D) 51 (E) 138

- 7 If an arc of  $45^\circ$  on circle  $A$  has the same length as an arc of  $30^\circ$  on circle  $B$ , then the ratio of the area of circle  $A$  to the area of circle  $B$  is  
(A)  $\frac{4}{9}$  (B)  $\frac{2}{3}$  (C)  $\frac{5}{6}$  (D)  $\frac{3}{2}$  (E)  $\frac{9}{4}$

- 8 Betsy designed a flag using blue triangles, small white squares, and a red center square, as shown. Let  $B$  be the total area of the blue triangles,  $W$  the total area of the white squares, and  $R$  the area of the red square. Which of the following is correct?



- (A)  $B = W$  (B)  $W = R$  (C)  $B = R$  (D)  $3B = 2R$  (E)  $2R = W$

- 9 Suppose  $A$ ,  $B$ , and  $C$  are three numbers for which  $1001C - 2002A = 4004$  and  $1001B + 3003A = 5005$ . The average of the three numbers  $A$ ,  $B$ , and  $C$  is  
(A) 1 (B) 3 (C) 6 (D) 9 (E) not uniquely determined

- 10 Compute the sum of all the roots of  $(2x + 3)(x - 4) + (2x + 3)(x - 6) = 0$ .  
(A)  $7/2$  (B) 4 (C) 5 (D) 7 (E) 13

- 11 Jamal wants to store 30 computer files on floppy disks, each of which has a capacity of 1.44 megabytes (MB). Three of his files require 0.8 MB of memory each, 12 more require 0.7 MB each, and the remaining 15 require 0.4 MB each. No file can be split between floppy disks. What is the minimal number of floppy disks that will hold all the files?  
(A) 12 (B) 13 (C) 14 (D) 15 (E) 16

- 12 Mr. Earl E. Bird leaves his house for work at exactly 8:00 A.M. every morning. When he averages 40 miles per hour, he arrives at his workplace three minutes late. When he averages 60 miles per hour, he arrives three minutes early. At what average speed, in miles per hour, should Mr. Bird drive to arrive at his workplace precisely on time?  
(A) 45 (B) 48 (C) 50 (D) 55 (E) 58

- 
- 13** The sides of a triangle have lengths of 15, 20, and 25. Find the length of the shortest altitude.  
(A) 6 (B) 12 (C) 12.5 (D) 13 (E) 15
- 
- 14** Both roots of the quadratic equation  $x^2 - 63x + k = 0$  are prime numbers. The number of possible values of  $k$  is  
(A) 0 (B) 1 (C) 2 (D) 3 (E) more than four
- 
- 15** The digits 1, 2, 3, 4, 5, 6, 7, and 9 are used to form four two-digit prime numbers, with each digit used exactly once. What is the sum of these four primes?  
(A) 150 (B) 160 (C) 170 (D) 180 (E) 190
- 
- 16** If  $a + 1 = b + 2 = c + 3 = d + 4 = a + b + c + d + 5$ , then  $a + b + c + d$  is  
(A)  $-5$  (B)  $-10/3$  (C)  $-7/3$  (D)  $5/3$  (E) 5
- 
- 17** Sarah pours four ounces of coffee into an eight-ounce cup and four ounces of cream into a second cup of the same size. She then transfers half the coffee from the first cup to the second and, after stirring thoroughly, transfers half the liquid in the second cup back to the first. What fraction of the liquid in the first cup is now cream?  
(A)  $1/4$  (B)  $1/3$  (C)  $3/8$  (D)  $2/5$  (E)  $1/2$
- 
- 18** A  $3 \times 3 \times 3$  cube is formed by gluing together 27 standard cubical dice. (On a standard die, the sum of the numbers on any pair of opposite faces is 7.) The smallest possible sum of all the numbers showing on the surface of the  $3 \times 3 \times 3$  cube is  
(A) 60 (B) 72 (C) 84 (D) 90 (E) 96
- 
- 19** Spot's doghouse has a regular hexagonal base that measures one yard on each side. He is tethered to a vertex with a two-yard rope. What is the area, in square yards, of the region outside of the doghouse that Spot can reach?  
(A)  $2\pi/3$  (B)  $2\pi$  (C)  $5\pi/2$  (D)  $8\pi/3$  (E)  $3\pi$
- 
- 20** Points  $A, B, C, D, E$  and  $F$  lie, in that order, on  $\overline{AF}$ , dividing it into five segments, each of length 1. Point  $G$  is not on line  $AF$ . Point  $H$  lies on  $\overline{GD}$ , and point  $J$  lies on  $\overline{GF}$ . The line segments  $\overline{HC}$ ,  $\overline{JE}$ , and  $\overline{AG}$  are parallel. Find  $HC/JE$ .  
(A)  $5/4$  (B)  $4/3$  (C)  $3/2$  (D)  $5/3$  (E) 2
- 
- 21** The mean, median, unique mode, and range of a collection of eight integers are all equal to 8. The largest integer that can be an element of this collection is  
(A) 11 (B) 12 (C) 13 (D) 14 (E) 15
- 
- 22** A set of tiles numbered 1 through 100 is modified repeatedly by the following operation: remove all tiles numbered with a perfect square, and renumber the remaining tiles consecutively starting

with 1. How many times must the operation be performed to reduce the number of tiles in the set to one?

- (A) 10 (B) 11 (C) 18 (D) 19 (E) 20


**23** Points  $A, B, C$  and  $D$  lie on a line, in that order, with  $AB = CD$  and  $BC = 12$ . Point  $E$  is not on the line, and  $BE = CE = 10$ . The perimeter of  $\triangle AED$  is twice the perimeter of  $\triangle BEC$ . Find  $AB$ .

- (A)  $15/2$  (B) 8 (C)  $17/2$  (D) 9 (E)  $19/2$

**24** Tina randomly selects two distinct numbers from the set  $\{1, 2, 3, 4, 5\}$  and Sergio randomly selects a number from the set  $\{1, 2, \dots, 10\}$ . The probability that Sergio's number is larger than the sum of the two numbers chosen by Tina is

- (A)  $2/5$  (B)  $9/20$  (C)  $1/2$  (D)  $11/20$  (E)  $24/25$

**25** In trapezoid  $ABCD$  with bases  $AB$  and  $CD$ , we have  $AB = 52, BC = 12, CD = 39$ , and  $DA = 5$ . The area of  $ABCD$  is



- (A) 182 (B) 195 (C) 210 (D) 234 (E) 260

– B

**1** The ratio  $\frac{2^{2001} \cdot 3^{2003}}{6^{2002}}$  is

- (A)  $\frac{1}{6}$  (B)  $\frac{1}{3}$  (C)  $\frac{1}{2}$  (D)  $\frac{2}{3}$  (E)  $\frac{3}{2}$

**2** For the nonzero numbers  $a, b$ , and  $c$ , define

$$(a, b, c) = \frac{abc}{a + b + c}.$$

Find  $(2, 4, 6)$ .

- (A) 1 (B) 2 (C) 4 (D) 6 (E) 24

**3** The arithmetic mean of the nine numbers in the set  $\{9, 99, 999, 9999, \dots, 999999999\}$  is a 9-digit number  $M$ , all of whose digits are distinct. The number  $M$  does not contain the digit

- (A) 0 (B) 2 (C) 4 (D) 6 (E) 8


- 4 What is the value of

$$(3x - 2)(4x + 1) - (3x - 2)4x + 1$$

when  $x = 4$ ?

- (A) 0 (B) 1 (C) 10 (D) 11 (E) 12

- 5 Circles of radius 2 and 3 are externally tangent and are circumscribed by a third circle, as shown in the figure. Find the area of the shaded region.



- (A)  $3\pi$  (B)  $4\pi$  (C)  $6\pi$  (D)  $9\pi$  (E)  $12\pi$

- 6 For how many positive integers  $n$  is  $n^2 - 3n + 2$  a prime number?  
 (A) none (B) one (C) two (D) more than two, but finitely many  
 (E) infinitely many

- 7 Let  $n$  be a positive integer such that  $\frac{1}{2} + \frac{1}{3} + \frac{1}{7} + \frac{1}{n}$  is an integer. Which of the following statements is **not** true?  
 (A) 2 divides  $n$  (B) 3 divides  $n$  (C) 6 divides  $n$  (D) 7 divides  $n$   
 (E)  $n > 84$

- 8 Suppose July of year  $N$  has five Mondays. Which of the following must occur five times in August of year  $N$ ? (Note: Both months have 31 days.)  
 (A) Monday (B) Tuesday (C) Wednesday (D) Thursday (E) Friday

- 9 Using the letters  $A, M, O, S,$  and  $U$ , we can form 120 five-letter "words". If these "words" are arranged in alphabetical order, then the "word"  $USAMO$  occupies position  
 (A) 112 (B) 113 (C) 114 (D) 115 (E) 116

- 10 Suppose that  $a$  and  $b$  are nonzero real numbers, and that the equation  $x^2 + ax + b = 0$  has solutions  $a$  and  $b$ . Then the pair  $(a, b)$  is

(A)  $(-2, 1)$     (B)  $(-1, 2)$     (C)  $(1, -2)$     (D)  $(2, -1)$     (E)  $(4, 4)$

- 11 The product of three consecutive positive integers is 8 times their sum. What is the sum of their squares?  
 (A) 50    (B) 77    (C) 110    (D) 149    (E) 194

- 12 For which of the following values of  $k$  does the equation  $\frac{x-1}{x-2} = \frac{x-k}{x-6}$  have no solution for  $x$ ?  
 (A) 1    (B) 2    (C) 3    (D) 4    (E) 5

- 13 Find the value(s) of  $x$  such that  $8xy - 12y + 2x - 3 = 0$  is true for all values of  $y$ .  
 (A)  $\frac{2}{3}$     (B)  $\frac{3}{2}$  or  $-\frac{1}{4}$     (C)  $-\frac{2}{3}$  or  $-\frac{1}{4}$     (D)  $\frac{3}{2}$     (E)  $-\frac{3}{2}$  or  $-\frac{1}{4}$

- 14 The number  $25^{64} \cdot 64^{25}$  is the square of a positive integer  $N$ . In decimal representation, the sum of the digits of  $N$  is  
 (A) 7    (B) 14    (C) 21    (D) 28    (E) 35

- 15 The positive integers  $A$ ,  $B$ ,  $A - B$ , and  $A + B$  are all prime numbers. The sum of these four primes is  
 (A) even    (B) divisible by 3    (C) divisible by 5    (D) divisible by 7  
 (E) prime

- 16 For how many integers  $n$  is  $\frac{n}{20-n}$  the square of an integer?  
 (A) 1    (B) 2    (C) 3    (D) 4    (E) 10

- 17 A regular octagon  $ABCDEFGH$  has sides of length two. Find the area of  $\triangle ADG$ .  
 (A)  $4 + 2\sqrt{2}$     (B)  $6 + \sqrt{2}$     (C)  $4 + 3\sqrt{2}$     (D)  $3 + 4\sqrt{2}$     (E)  $8 + \sqrt{2}$

- 18 Four distinct circles are drawn in a plane. What is the maximum number of points where at least two of the circles intersect?  
 (A) 8    (B) 9    (C) 10    (D) 12    (E) 16

- 19 Suppose that  $\{a_n\}$  is an arithmetic sequence with

$$a_1 + a_2 + \cdots + a_{100} = 100 \quad \text{and} \quad a_{101} + a_{102} + \cdots + a_{200} = 200.$$

What is the value of  $a_2 - a_1$ ?

- (A) 0.0001    (B) 0.001    (C) 0.01    (D) 0.1    (E) 1
- 20 Let  $a$ ,  $b$ , and  $c$  be real numbers such that  $a - 7b + 8c = 4$  and  $8a + 4b - c = 7$ . Then  $a^2 - b^2 + c^2$  is  
 (A) 0    (B) 1    (C) 4    (D) 7    (E) 8

- 21 Andy's lawn has twice as much area as Beth's lawn and three times as much area as Carlos' lawn. Carlos' lawn mower cuts half as fast as Beth's mower and one third as fast as Andy's mower. If they all start to mow their lawns at the same time, who will finish first?  
(A) Andy (B) Beth (C) Carlos (D) Andy and Carlos tie for first. (E) All three tie.
- 
- 22 Let  $\triangle XOY$  be a right-angled triangle with  $m\angle XOY = 90^\circ$ . Let  $M$  and  $N$  be the midpoints of legs  $OX$  and  $OY$ , respectively. Given that  $XN = 19$  and  $YM = 22$ , find  $XY$ .  
(A) 24 (B) 26 (C) 28 (D) 30 (E) 32
- 
- 23 Let  $\{a_k\}$  be a sequence of integers such that  $a_1 = 1$  and  $a_{m+n} = a_m + a_n + mn$ , for all positive integers  $m$  and  $n$ . Then  $a_{12}$  is  
(A) 45 (B) 56 (C) 67 (D) 78 (E) 89
- 
- 24 Riders on a Ferris wheel travel in a circle in a vertical plane. A particular wheel has radius 20 feet and revolves at the constant rate of one revolution per minute. How many seconds does it take a rider to travel from the bottom of the wheel to a point 10 vertical feet above the bottom?  
(A) 5 (B) 6 (C) 7.5 (D) 10 (E) 15
- 
- 25 When 15 is appended to a list of integers, the mean is increased by 2. When 1 is appended to the enlarged list, the mean of the enlarged list is decreased by 1. How many integers were in the original list?  
(A) 4 (B) 5 (C) 6 (D) 7 (E) 8
- 
- P
- 
- 1 This test and the matching AMC 12P were developed for the use of a group of Taiwan schools, in early January of 2002. When Taiwan had taken the contests, the AMC released the questions here as a set of practice questions for the 2002 AMC 10 and AMC 12 contests.
- 
- 1 The ratio  $\frac{(2^4)^8}{(4^8)^2}$  equals  
(A)  $\frac{1}{4}$  (B)  $\frac{1}{2}$  (C) 1 (D) 2 (E) 8
- 
- 2 The sum of eleven consecutive integers is 2002. What is the smallest of these integers?  
(A) 175 (B) 177 (C) 179 (D) 180 (E) 181
- 
- 3 Mary typed a six-digit number, but the two 1s she typed didn't show. What appeared was 2002. How many different six-digit numbers could she have typed?  
(A) 4 (B) 8 (C) 10 (D) 15 (E) 20
-

4 Which of the following numbers is a perfect square?

- (A)  $4^4 5^5 6^6$     (B)  $4^4 5^6 6^5$     (C)  $4^5 5^4 6^6$     (D)  $4^6 5^4 6^5$     (E)  $4^6 5^5 6^4$

5 Let  $(a_n)_{n \geq 1}$  be a sequence such that  $a_1 = 1$  and  $3a_{n+1} - 3a_n = 1$  for all  $n \geq 1$ . Find  $a_{2002}$ .

- (A) 666    (B) 667    (C) 668    (D) 669    (E) 670

6 The perimeter of a rectangle is 100 and its diagonal has length  $x$ . What is the area of this rectangle?

- (A)  $625 - x^2$     (B)  $625 - \frac{x^2}{2}$     (C)  $1250 - x^2$     (D)  $1250 - \frac{x^2}{2}$     (E)  $2500 - \frac{x^2}{2}$

7 The dimensions of a rectangular box in inches are all positive integers and the volume of the box is  $2002 \text{ in}^3$ . Find the minimum possible sum in inches of the three dimensions.

- (A) 36    (B) 38    (C) 42    (D) 44    (E) 92

8 How many ordered triples of positive integers  $(x, y, z)$  satisfy  $(x^y)^z = 64$ ?

- (A) 5    (B) 6    (C) 7    (D) 8    (E) 9

9 The function  $f$  is given by the table

$x$	1	2	3	4	5
$f(x)$	4	1	3	5	2

If  $u_0 = 4$  and  $u_{n+1} = f(u_n)$  for  $n \geq 0$ , find  $u_{2002}$ .

- (A) 1    (B) 2    (C) 3    (D) 4    (E) 5

10 Let  $a$  and  $b$  be distinct real numbers for which

$$\frac{a}{b} + \frac{a + 10b}{b + 10a} = 2.$$

Find  $\frac{a}{b}$ .

- (A) 0.6    (B) 0.7    (C) 0.8    (D) 0.9    (E) 1

11 Let  $P(x) = kx^3 + 2k^2x^2 + k^3$ . Find the sum of all real numbers  $k$  for which  $x - 2$  is a factor of  $P(x)$ .

- (A)  $-8$     (B)  $-4$     (C)  $0$     (D)  $5$     (E)  $8$



12 For  $f_n(x) = x^n$  and  $a \neq 1$  consider

I.  $(f_{11}(a)f_{13}(a))^{14}$

II.  $f_{11}(a)f_{13}(a)f_{14}(a)$

III.  $(f_{11}(f_{13}(a)))^{14}$

IV.  $f_{11}(f_{13}(f_{14}(a)))$

Which of these equal  $f_{2002}(a)$ ?

- (A) I and II only    (B) II and III only    (C) III and IV only    (D) II, III, and IV only    (E) all of them

13 Participation in the local soccer league this year is 10% higher than last year. The number of males increased by 5% and the number of females increased by 20%. What fraction of the soccer league is now female?

- (A)  $\frac{1}{3}$     (B)  $\frac{4}{11}$     (C)  $\frac{2}{5}$     (D)  $\frac{4}{9}$     (E)  $\frac{1}{2}$

14 The vertex  $E$  of a square  $EFGH$  is at the center of square  $ABCD$ . The length of a side of  $ABCD$  is 1 and the length of a side of  $EFGH$  is 2. Side  $EF$  intersects  $CD$  at  $I$  and  $EH$  intersects  $AD$  at  $J$ . If angle  $EID = 60^\circ$ , the area of quadrilateral  $EIDJ$  is

- (A)  $\frac{1}{4}$     (B)  $\frac{\sqrt{3}}{6}$     (C)  $\frac{1}{3}$     (D)  $\frac{\sqrt{2}}{4}$     (E)  $\frac{\sqrt{3}}{2}$

15 What is the smallest integer  $n$  for which any subset of  $\{1, 2, 3, \dots, 20\}$  of size  $n$  must contain two numbers that differ by 8?

- (A) 2    (B) 8    (C) 12    (D) 13    (E) 15

16 Two walls and the ceiling of a room meet at right angles at point  $P$ . A fly is in the air one meter from one wall, eight meters from the other wall, and 9 meters from point  $P$ . How many meters is the fly from the ceiling?

- (A)  $\sqrt{13}$     (B)  $\sqrt{14}$     (C)  $\sqrt{15}$     (D) 4    (E)  $\sqrt{17}$

17 There are 1001 red marbles and 1001 black marbles in a box. Let  $P_s$  be the probability that two marbles drawn at random from the box are the same color, and let  $P_d$  be the probability that they are different colors. Find  $|P_s - P_d|$ .

- (A) 0    (B)  $\frac{1}{2002}$     (C)  $\frac{1}{2001}$     (D)  $\frac{2}{2001}$     (E)  $\frac{1}{1000}$

18 For how many positive integers  $n$  is  $n^3 - 8n^2 + 20n - 13$  a prime number?

(A) 1    (B) 2    (C) 3    (D) 4    (E) more than 4

19 If  $a, b, c$  are real numbers such that  $a^2 + 2b = 7$ ,  $b^2 + 4c = -7$ , and  $c^2 + 6a = -14$ , find  $a^2 + b^2 + c^2$ .

(A) 14    (B) 21    (C) 28    (D) 35    (E) 49

20 How many three-digit numbers have at least one 2 and at least one 3?

(A) 52    (B) 54    (C) 56    (D) 58    (E) 60

21 Let  $f$  be a real-valued function such that

$$f(x) + 2f\left(\frac{2002}{x}\right) = 3x$$

for all  $x > 0$ . Find  $f(2)$ .

(A) 1000    (B) 2000    (C) 3000    (D) 4000    (E) 6000

22 In how many zeroes does the number  $\frac{2002!}{(1001!)^2}$  end?

(A) 0    (B) 1    (C) 2    (D) 200    (E) 400

23 Let

$$a = \frac{1^2}{1} + \frac{2^2}{3} + \frac{3^2}{5} + \cdots + \frac{1001^2}{2001}$$

and

$$b = \frac{1^2}{3} + \frac{2^2}{5} + \frac{3^2}{7} + \cdots + \frac{1001^2}{2003}.$$

Find the integer closest to  $a - b$ .

(A) 500    (B) 501    (C) 999    (D) 1000    (E) 1001

24 What is the maximum value of  $n$  for which there is a set of distinct positive integers  $k_1, k_2, \dots, k_n$  for which

$$k_1^2 + k_2^2 + \cdots + k_n^2 = 2002?$$

(A) 14    (B) 15    (C) 16    (D) 17    (E) 18

25 Under the new AMC 10, 12 scoring method, 6 points are given for each correct answer, 2.5 points are given for each unanswered question, and no points are given for an incorrect answer. Some of the possible scores between 0 and 150 can be obtained in only one way, for example, the only way to obtain a score of 146.5 is to have 24 correct answers and one unanswered question. Some scores can be obtained in exactly two ways; for example, a score of 104.5 can be obtained with 17 correct answers, 1 unanswered question, and 7 incorrect, and also with 12

correct answers and 13 unanswered questions. There are three scores that can be obtained in exactly three ways. What is their sum?

(A) 175    (B) 179.5    (C) 182    (D) 188.5    (E) 201

- 
- [https://data.artofproblemsolving.com/images/maa\\_logo.png](https://data.artofproblemsolving.com/images/maa_logo.png) These problems are copyright © Mathematical Association of America (<http://maa.org>).
-